

ARMOURFLOW™ FS6

GAS + WATER DRAINAGE SYSTEM

TECHNICAL DATA SHEET	TDS G 001 052
ISSUE NUMBER	05
DATE	SEPTEMBER 2020

CHARACTERISTICS	STANDARD	NOMINAL VALUE	UNIT	TOLERANCE
GEOSPACER: CORE				
POLYMER	-	HPPE	-	-
STRUCTURE	-	Alveolar, thermoformed, isotropic and symmetric	-	-
THICKNESS UNDER 2kPa	EN ISO 9863-1	6	mm	±10%
CRUSH RESISTANCE	EN ISO 25619-2	500	kPa	-10%
COMPRESSIVE CREEP UNDER 150kPa/10 Years	EN ISO 25619-1	-9% of the thickness under stress		
GEOTEXTILE: FILTER				
POLYMER	-	Polypropylene		
MANUFACTURING PROCESS	-	Non woven thermally bonded		
POSITION OF THE GEOTEXTILE ON THE GEOSPACER	-	A geotextile surrounding the geospacer on all it's width		
MASS PER UNIT AREA	EN ISO 9864	125	g/m ²	±13
OPENING SIZE O90w	EN ISO 12956	130	µm	±39
GEOCOMPOSITE: GAS VENTING				
DYNAMIC PERFORATION RESISTANCE	EN ISO 13433	10	mm	+2,5
WATER FLOW CAPACITY	EN ISO 12958	Foam/Foam i=1; 20kPa; 1	10-3 m ² /s	-0,3
WATER FLOW CAPACITY	EN ISO 12958	Foam/Foam i=0.1; 200kPa; 0,18x10 ⁻³ i=1; 100kPa; 0,9x10 ⁻³	m ² /s m ² /s (*)	-2,3 x 10 ⁻⁴ -20%
TENSILE STRENGTH	EN ISO 10319	MD: 20 CMD: 21	kN/m	-2,6 -2,73
TENSILE STRAIN AT MAX STRENGTH	EN ISO 10319	MD: 45 CMD: 45	%	+ 15/-9 + 15/-9
DURABILITY IN ACCORDANCE WITH ANNEX B	To be covered within 2 weeks after installation. Predicted to be durable for more than 50 years in all natural soils with temperatures <25° C on the basis of a durability assesment (Typargeo Report 070)			
ADDITIONAL DATA ON THE GEOCOMPOSITE				
MASS PER UNIT	EN ISO 9864	700	g/m ²	±10%
DIMENSIONS				
WIDTH	0,50 m			
LENGTH	150m			

DISCLAIMER

The information provided in this publication is correct to the best knowledge of the company and is given out in good faith. The information presented herein is intended only as a general guide to the use of such products and no liability is accepted by Cirtex Industries Ltd for any loss or damage however arising, which results either directly or indirectly from the use of such information. Cirtex Industries Ltd has a policy of continuous development so information and product specifications may change without notice.